```
GET
  FILE='C:\Users\Way To Gone\Downloads\Week 9 Goodness of Fit Assignment Dataset.sav'.
DATASET NAME DataSet1 WINDOW=FRONT.
GET
  FILE='C:\Users\Way To Gone\Downloads\Week 8 Paired Samples T Test Assignment Dataset (1
1).sav'.
DATASET NAME DataSet2 WINDOW=FRONT.
GET
  FILE='C:\Users\Way To Gone\Downloads\Week 9 Goodness of Fit Assignment Dataset (1).sav'
.
DATASET NAME DataSet3 WINDOW=FRONT.
DATASET CLOSE DataSet1.
DATASET CLOSE DataSet2.
GGRAPH
  /GRAPHDATASET NAME="graphdataset"
    VARIABLES=Type_of_Fish[LEVEL=ordinal]
    MISSING=LISTWISE REPORTMISSING=NO
  /GRAPHSPEC SOURCE=VIZTEMPLATE(NAME="Bar of Counts"[LOCATION=LOCAL]
    MAPPING( "categories"="Type_of_Fish"[DATASET="graphdataset"] "Summary"="count"))
    VIZSTYLESHEET="Traditional"[LOCATION=LOCAL]
    LABEL='BAR OF COUNTS: Type_of_Fish'
    DEFAULTTEMPLATE=NO.
```

GGraph