

Referrals/consult

- Day therapy

Labs =

WBC - 10.85 K/uL

RBC - (L) 3.92×10^6 /uL

Hgb - 11.2 g/dL

Hct - 32.9%

~~MCV~~

~~MCH~~

~~PLT~~

~~MPV~~

Routine Coagulation

PT - 11.1 sec

PT-INR * 1.0

PTT - 29 sec

Blood Chemistry:

Sodium - 138 mEq/L

Potassium - 4.2 mEq/L

Chloride - 107 mEq/L

BUN - 6 mg/dL

Creatinine - (L) 0.25 mg/dL

Ca - (L) 8.3 mg/dL

Erikson's Stage:

SHIFT TO SHIFT "HAND OFF"	
PATIENT NAME:	
ISO:	
ALLERGIES:	AGE: SEX: WT: SPH: Y N
S: DIAGNOSIS/SITUATION/ASSESSMENT:	ID BAND: SERVICE: PEWS:
Meds - Tylenol 240 mg PO Colace - 20mg ^{96H} PO BID solution	B: HX: Blad cell count 7/7/18 CRP = 3.4 mg/dL 10.8 → 11.2 → 259.0 32.9
A: DIET, TX & TASKS:	A: DRAINS, DRESSINGS, TUBES:
Diazepam - 0.8mg PO QID	BUN - 4 at 7/5/18 Cr - 0.25 7/5/18
PIV/CVC: IVF: IV TUBING LABEL: PCA CHECK:	MEDS/PRN:
R: TESTS, MPC, TEACHING:	Q: COMMENTS/CONCERNS:

STICKER

SHIFT TO SHIFT "HAND OFF"	
PATIENT NAME:	
ISO:	
ALLERGIES:	AGE: SEX: WT: SPH: Y N
S: DIAGNOSIS/SITUATION/ASSESSMENT:	ID BAND: SERVICE: PEWS:
Goals = pain relief related to diagnosis / procedures / surgery	B: HX: Religion = deferred
A: DIET, TX & TASKS:	A: DRAINS, DRESSINGS, TUBES:
Diversion activities = TV Plan = monitor pain control	Admitted for PSF spinal fusion
PIV/CVC: IVF: IV TUBING LABEL: PCA CHECK:	MEDS/PRN: Miralax (constipation) Tylenol (around the clock) pain
R: TEST, MPC, TEACHING:	Q: COMMENTS/CONCERNS Social worker assessment - Pt lives with mother + father Both parents employed

STICKER

Rm 6114
R.S.
6/6/11 7 yrs-old
male

Allergies - Latex
Isolation precaution = standard precaution

Diet - regular diet
appearance = nourished

(Physical Therapy ordered)

H + P 7/2/18:

- Chief complaint = progressive scoliosis
- recently turned 7 y/o male w/ progressive kyphoscoliosis in the setting of spina bifida. Per neurosurg he will require cont'd annual MRIs

Past medical Hx:

1. Spina bifida
2. Status post de-tethering in 2011 by Dr. Krieger
3. stable hydromyelia being followed with annual MRI
4. Recent hx of right medial knee wound that underwent I and D with Dr. Choi on March 26, 2017
5. Severe progressive early onset scoliosis.

Home medications:

- 1) Herbs, vitamins, natural remedies
- 2) mind, body, energy based therapies.

Growth Parameters:

Weight - 17.2 Kg

Height - 102 cm

Weight percentile = 1%.

Labs: (last 24 hrs.)

None

Operation procedure:
1. application of halo-femoral traction
2. - growing rod instrumentation from T3 to the pelvis

vitals:

Temp / tympanic - 36.2° C

HR - 95 bpm

RR - 22 b/min

BP = 99/55 mmHg

Physical assessment: NAD

resp - CTAB, easy work of breathing

CV - RRR, pulses in all ext. all w/

MSK - Large L TL prominence /

has some hip flexion and Kyphoscoliosis

Knee flexion

no sensation distal to knee